



**FEATURES**

4 fixing points fit at the sides of rear and front 19" mounting angetes Suitable with INFORM 19" profiles Vented

**COMPLIANCES**

UL and cUL

**Load Carrying Capacity:** 50 kg

**Surface Treatment :** Fosfat coating

**Painting :** Ral7035 / Ral9005

**STANDARDS**

\*ISO 9001:2000

\*TSE:EN 61587-1 Mechanical Structures For Electronic Equipment - Tests For IEC 60917 And IEC 60297

\*Climatic and Environment:EN 61587-1/4.2,IEC60068-2-1 ,

IEC60068-2-2 , IEC60068-2-30,

\*Static Mechanical Load Lifting:EN61587-1/5.2.1

\*Static Mechanical Load Stiffness:EN61587-1/5.2.2

\*Dynamic Mechanical Load Vibration and Shock , Impact: EN61587-1/5.3.1,EN61587-1/5.3.3,IEC60068-2-6,


IEC60068-2-27,

\*Flammability:EN61587-1/6.3


Material Definition and Properties , Thicknesses and Shipment Configuration

Part Definition	Material thickness	Material definition & properties	Shipment Configuration
Fixed Shelf	1,0 mm	DIN EN 10130 - 99 EREGLI DC-01 6112 CRS	1ea.


# PLATEAU FIXE 1U P:380




Front View



Side View



Top View




Iso View

## Fixed Shelves


MODEL NAME	Product Definition	Dimensions (wxdxh) mm
RAP-PL-F-380-1-B	Fixed shelf , vented , enclosure depth=600 mm	465x345x30

## Shipping Data


MODEL NAME	quantity	Shipping Dimension (palette) WxHxD	Net Weight (kg)	Gross Weight (kg)
RAP-PL-F-380-1-B	1 2	545x425x400	21,96	23,00




Front View



Side View



Top View



Iso View

### Fixed Shelves

MODEL NAME	Product Definition	Dimensions (wxdxh) mm
RAP-PL-F-520-1-B	Fixed shelf , vented , enclosure depth=800 mm	465x525x30

### Shipping Data

MODEL NAME	quantity	Shipping Dimension (palette) WxHxD	Net Weight (kg)	Gross Weight (kg)
RAP-PL-F-520-1-B	1 2	550x440x605	31,80	33,00